



THIS DOCUMENT PROPRIETARY TO TITAN AIRCRAFT, AND IS NOT TO BE USED, CIRCULATED, REPRODUCED, COPIED, OR DISCLOSED IN ANY MANNER WITHOUT PRIOR WRITTEN PERMISSION OF AN AUTHORIZED OFFICIAL OF TITAN AIRCRAFT.



REVISIONS				
E.C. NO.	REV.	DESCRIPTION	BY	DATE
	A	DRAWING RELEASED	SH	9/08

NOTES:

- AFTER ENGINE & PROP. HUB INSTALLATION.
- BE SURE TO CENTER THE NOSE BOWL AND SPINNER USING THE CENTER POINT OF THE PROP. HUB.
- THE NOSE BOWL'S FRONT SURFACE SHOULD BE FLUSH WITH THE SURFACE OF THE PROP. HUB.
- SECURE THE NOSE BOWL IN PLACE WITH #6 SCREWS AND NUT-PLATE'S FOR EASY REMOVAL.
- 1/4" CLEARANCE IS BUILT INTO THE AFT BULKHEAD OF THE SPINNER.




TITAN AIRCRAFT SUPPLY
 1419 STATE ROUTE 45 SOUTH
 AUSTINBURG, OHIO 44010

MATERIAL		DETAIL NAME NOSE BOWL/SPINNER INSTALLATION	
DRAWN S. HENDERSON	DATE 9/29/08	SCALE NTS	PART NO.
CHECKED B. KOLENO	DATE 2/6/09	ASSEMBLY NAME	
APPROVED K. BROOKS	DATE 10/6/09	PART NO.	DRAWING NO. F50
		DRAWING NO. B T51-08-INS-1764-A	